

# DERM PATH ON DEMAND

## Digital Board Review

**Self-Paced Exam**



**Clay J. Cockerell, MD**  
**Founder & Medical Director**

# **Self-Paced Exam**

1. The best diagnosis is:
  - a) Discoid lupus erythematosus
  - b) Chronic graft vs host disease
  - c) Viral exanthem
  - d) Spongiotic drug eruption
  - e) Erythema multiforme
  
2. The best diagnosis is:
  - a) Drug hypersensitivity reaction
  - b) Leukocytoclastic vasculitis
  - c) Sweet's syndrome
  - d) Granuloma faciale
  - e) Persistent insect bite reaction
  
3. The best diagnosis is:
  - a) Lupus erythematosus profundus
  - b) Scar
  - c) Morphea
  - d) Connective tissue nevus
  - e) Chronic radiodermatitis
  
4. The best diagnosis is:
  - a) Erythema nodosum
  - b) Lupus erythematosus profundus
  - c) Erythema induratum
  - d) Lipomembranous panniculitis
  - e) Inflammatory morphea
  
5. The best diagnosis is:
  - a) Basal cell carcinoma
  - b) T-cell lymphoma
  - c) Pseudolymphoma
  - d) Merkel cell carcinoma
  - e) Malignant peripheral nerve sheath tumor
  
6. The best diagnosis is:
  - a) Metastatic breast cancer
  - b) Microcystic adnexal carcinoma
  - c) Desmoplastic trichoepithelioma
  - d) Trichoadenoma
  - e) Mixed tumor of the skin

7. The best diagnosis is:
- a) Malignant melanoma
  - b) Reticulohistiocytic granuloma
  - c) Juvenile xanthogranuloma
  - d) Compound "dysplastic" nevus
  - e) Compound Spitz nevus
8. The best diagnosis is:
- a) Spindle cell hemangioma
  - b) Acroangiokeratoma
  - c) Kaposi's sarcoma
  - d) Angiosarcoma
  - e) Aneurysmal benign fibrous histiocytoma
9. The best diagnosis is:
- a) Eccrine acrospiroma
  - b) Xanthogranuloma
  - c) Atypical fibrohistiocytic xanthoma
  - d) Merkel cell carcinoma
  - e) Metastatic melanoma
10. The best diagnosis is:
- a) Desmoplastic trichoepithelioma
  - b) Basal cell carcinoma
  - c) Trichofolliculoma
  - d) Basaloid follicular hamartoma
  - e) Trichoblastoma
11. The best diagnosis is:
- a) Contact dermatitis
  - b) Pityriasis rosea
  - c) PLEVA
  - d) Lichen striatus
  - e) Psoriasis
12. The best diagnosis is:
- a) Hand, foot and mouth disease
  - b) Incontinentia pigmenti
  - c) Pemphigus vulgaris
  - d) Linear IgA disease
  - e) Herpes simplex virus infection

13. The best diagnosis is:
- a) Grover's disease
  - b) Hailey Hailey disease
  - c) Pemphigus vulgaris
  - d) Epidermolytic hyperkeratosis
  - e) Squamous cell carcinoma
14. The best diagnosis is:
- a) Dermatomyositis
  - b) Lichen planus
  - c) Discoid lupus erythematosus
  - d) Morphea
  - e) Polymorphic light eruption
15. The best diagnosis is:
- a) Pityriasis lichenoides
  - b) Sarcoid
  - c) Congenital melanocytic nevus
  - d) Lymphomatoid papulosis
  - e) Mastocytosis
16. The best diagnosis is:
- a) Trichoepithelioma
  - b) Basal cell carcinoma
  - c) Merkel cell carcinoma
  - d) Sebaceous carcinoma
  - e) Trichoblastoma
17. The best diagnosis is:
- a) Insect bite reaction
  - b) Tumid lupus erythematosus
  - c) Polymorphic light eruption
  - d) Inflammatory morphea
  - e) Lymphomatoid papulosis
18. The best diagnosis is:
- a) Sebaceous carcinoma
  - b) Basal cell carcinoma
  - c) Sebaceoma
  - d) Trichilemmoma
  - e) Sebaceous adenoma
19. The best diagnosis is:
- a) Necrobiosis lipoidica

- b) Rheumatoid nodule
  - c) Kaposi's sarcoma
  - d) Epithelioid sarcoma
  - e) Granuloma annulare
20. The best diagnosis is:
- a) Clear cell actinic keratosis
  - b) Verruca vulgaris
  - c) Condyloma
  - d) Irritated seborreic keratosis
  - e) Bowenoid papulosis
21. The best diagnosis is:
- a) Microcystic adnexal carcinoma, nodular type
  - b) Syringoma
  - c) Desmoplastic trichoepithelioma
  - d) Aggressive digital papillary adenoma
  - e) Dermal duct tumor
22. The best diagnosis is:
- a) Nodular scabies
  - b) Pagetoid reticulosis
  - c) Syphilis
  - d) Pseudolymphoma
  - e) Mycosis fungoides, tumor stage
23. The best diagnosis is:
- a) Clear cell hidradenoma
  - b) Chondroid syringoma
  - c) Eccrine spiradenoma
  - d) Hidradenoma papilliferum
  - e) Metastatic renal cell carcinoma
24. The best diagnosis is:
- a) Halo nevus
  - b) Malignant melanoma
  - c) Benign lichenoid keratosis
  - d) Spitz nevus
  - e) Lichen planus
25. The best diagnosis is:
- a) Psoriasis

- b) Epidermal nevus
  - c) Axillary granular parakeratosis
  - d) Seborrheic keratosis
  - e) Porokeratosis
26. The best diagnosis is:
- a) Squamous cell carcinoma
  - b) Proliferating tricholemmal cyst
  - c) Pseudoepitheliomatous hyperplasia
  - d) Bowen's disease
  - e) Trichilemmoma
27. The best diagnosis is:
- a) Epidermolytic Hyperkeratosis
  - b) Epidermodysplasia Verruciformis
  - c) Hailey-Hailey Disease
  - d) Freeze artifact
  - e) Verruca Vulgaris
28. The best diagnosis is:
- a) Normal skin
  - b) Ichthyosis Vulgaris
  - c) Seborrheic Keratosis
  - d) Tinea Versicolor
  - e) Urticaria
29. The best diagnosis is:
- a) Dermatofibrosarcoma protuberans
  - b) Kaposi's sarcoma
  - c) Sclerosing hemangioma
  - d) Metastatic melanoma
  - e) Merkel cell carcinoma
30. The best diagnosis is:
- a) Cinnabar tattoo reaction
  - b) Hypertrophic scar
  - c) Carbon tattoo
  - d) Silicone implant reaction
  - e) Monsel's solution reaction
31. The best diagnosis is:
- a) Granuloma annulare
  - b) Lupus pernio
  - c) Lichen striatus

- d) Chilblains
  - e) Arthropod bite reaction
32. The best diagnosis is:
- a) Angiokeratoma
  - b) Hemangioma
  - c) Arteriovenous hemangioma
  - d) Lymphangioma circumspectum
  - e) Targetoid hemosiderotic hemangioma
33. The best diagnosis is:
- a) Tumor of the follicular infundibulum
  - b) Basal cell carcinoma
  - c) Reticulate seborrheic keratosis
  - d) Fibroepithelioma of Pinkus
  - e) Basaloid follicular hamartoma
34. The best diagnosis is:
- a) Incontinentia pigmenti
  - b) Pemphigus foliaceus
  - c) Herpes virus infection
  - d) Phytophotodermatitis
  - e) Fixed drug eruption
35. The best diagnosis is:
- a) Pyogenic granuloma
  - b) Metastatic renal cell carcinoma
  - c) Clear cell sarcoma (melanoma of soft parts)
  - d) Nodular hidradenoma
  - e) Balloon cell melanoma
36. The best diagnosis is:
- a) Calcinosis cutis
  - b) Rheumatoid nodule
  - c) Lipoid proteinosis
  - d) Deep granuloma annulare
  - e) Gout
37. The best diagnosis is:
- a) Nevus of Ito
  - b) Metastatic melanoma
  - c) Cellular blue nevus

- d) Bednar tumor
  - e) Neurothekeoma
38. The best diagnosis is:
- a) Neurothekeoma
  - b) Xanthoma
  - c) Sarcoid
  - d) Granular cell tumor
  - e) Leiomyoma
39. The best diagnosis is:
- a) Eccrine spiradenoma
  - b) Mixed tumor of skin
  - c) Solid-cystic hidradenoma
  - d) Metastatic gastric adenocarcinoma
  - e) Merkel cell carcinoma
40. The best diagnosis is:
- a) Hibernoma
  - b) Granular cell tumor
  - c) PEComa
  - d) Lipoblastic liposarcoma
  - e) Clear cell sarcoma